Author Index

Audebert, R. 456–458
Abied, H. 137–139
Abis, L. 208–212
Achibat, T. 258–260
Adam, C. 317–320
Agarwal, P. K. 149–151, 235–238
Ahn, T. O. 415–416
Ahsan, M. A. 509–512
Ajroldi, G. 71–73
Akhaury, R. 10–12
Al-Saigh, Z. Y. 459–463
Alekseeva, T. T. 254–256
Alvarez, C. 504–505
Aminabhavi, T. M. 120–122
Andersson, M. 546–548
Angeloni, A. S. 5–7
Asakura, T. 213–216

Bolte, M. 229–231
Babchinitser, T. M. 409–411
Badyal, J. P. S. 152–154, 217–219
Barrie, J. A. 80–82, 509–512
Beautemps, J. 258–260
Benrokia, F. 433–435
Berger, W. 542–544
Bergeron, J.-Y. 403–404
Bertorello, H. 504–505
Bheda, M. C. 204–207
Bianchi, E. 45–46
Binder, M. 140–142
Bohm, L. L. 58–61
Boinon, B. 567–569
Bond, S. G. 290–292
Booth, C. 348–352
Boukenter, A. 258–260
Boven, G. 50–53
Briggs, D. 506–508
Brinke, G. 185–188
Briscoe, B. J. 196–199
Brostow, W. 551–554
Burillo, G. 248–250

Camps, M. 433–435
de Candia, F. 306–309
Carpenter, T. A. 36–39, 74–76
Carreon, P. 248–250
Cartier, N. 116–119
Casey, P. K. 27–29
Cassidy, P. E. 405–408
Cataldo, F. 354–355
Chabert, B. 464–468
Challa, G. 34–35, 47–49, 50–53, 518–523
Chan, W. H. 501–503
Chatterjee, N. 220–224, 473–476
Chatterjee, S. K. 220–224, 473–476
Chen, D. 123–125
Chen, W. 518–523
Chen, Y. 189–192
Chiellini, E. 5–7
Choy, C. L. 285–288
Chu, G. 561–563
Chujo, R. 397–399
Cimmino, S. 251–253
Cioni, P. 208–212
Clayden, N. J. 74–76
Colletti, R. F. 332–335
Colquhoun, H. M. 272–274
Comitani, C. 514–517
Cong, G. 155–157
Conio, G. 45–46
Cooney, D. 555–557
Coppola, L. 5–7
Corradini, P. 30–32
Cowie, J. M. G. 293–296
de Crespigny, A. J. S. 36–39
Croxton, C. A. 66–68

Damman, P. 477–480
Daniels, J. A. 272–274
Dao, L. H. 403–404
Dauphin, G. 317–320
Davis, F. J. 268–271, 380–381
Davis, G. T. 113–115
De, S. K. 376–379
De Rosa, C. 30–32
DeReggi, A. S. 113–115
Delaviz, Y. 103–105
Devaux, E. 464–468
Di Pace, E. 251–253
DiAnselmo, A. 367–369
DiBenedetto, A. T. 367–369
Dirlikov, S. 536–537
Dormard, A. 116–119
Douglas, W. E. 495–496
Draganova, M. 443–445, 446–448
Duggal, A. R. 356–360
Duval, E. 258–260

Ebdon, J. R. 290–292
Edwards, H. G. M. 89–93
Edwards, S. F. 162–163, 194–195
Eisenberg, A. 370–373
Ekeblad, P. O. 436–438, 546–548
Elliott Jr., J. R. 10–12
Ellis, T. S. 489–492
Ennis, B. C. 275–278
Esser, I. 538–541

Fasce, D. P. 226–228
Faber, M. C. 47–49
Fallini, A. 245–247
Fang, B. 382–384
Farahani, B. V. 473–476
Fawcett, A. H. 77–79
Ferguson, R. 293–296
Fewell, L. L. 393–396
Finney, L. 393–396
Fischer, E. W. 469–472
Folkersma, R. 50–53
Frenkel, C. M. 409–411
Frischinger, I. 536–537
Fukutomi, T. 374–375
Fytas, G. 469–472

Gaboury, S. R. 171–175, 390–392
Gallagher, K. P. 180–182
Galli, G. 5–7
Garbassi, F. 208–212
Gehrke, S. H. 322–323
George, M. H. 80–82, 509–512
Gerharz, B. 469–472
Ghosh, S. 220–224
Gibson, H. W. 13–16, 103–105, 134–136, 168–170, 204–207, 324–328
Gilbert, A. 380–381
van Gisbergen, J. 261–263
Goh, S. H. 200–201, 202–203
Gorda, K. R. 25–26
Grassi, A. 430–432
Guenet, J.-M. 137–139, 477–480
Guerra, G. 30–32, 430–432
Guilani, B. 13–16, 324–328
Guo, Q. 22–24, 62–64
Guo, W, 268–271
Gutierrez, A. 25–26
Gvozdic, N. V. 183–184, 493–494

Hager, W. S. 405–408
Hagler, T. W. 339–342
Hall, L. D. 36–39, 74–76
Han, C. C. 108–112
Harogoppad, S. B. 120–122
Hatada, K. 497–500
He, Z. 239–241, 123–125
Heeger, A. J. 339–342
Herrmann, H.-F. 58–61
Hjertberg, T. 546–548
Hong, T. M. 162–163, 194–195
Horrion, J. 235–238, 149–151
Horsky, J. 346–347
Hoskins, A. R. 89–93
Hovakeemian, G. 54–57
Hu Chun Pu, 382–384
Hu, H. 123–125
Huang, Y. 155–157
Huglin, M. B. 130–133

Iliopoulos, I. 456–458
Inganas, O. 436–438, 546–548
Inoue, T. 17–19
Inoue, Y. 397–399
Ishii, K. 314–316
Ishikawa, S. 374–375
Ishizu, K. 374–375, 386–389
Italia, S. 514–517
Itaya, T. 564–566
Ito, H. 164–167

Jackson, P. 74–76
Jana, P. B. 376–379
Jancar, J. 367–369
Jeno, M. 332–335
Jeong Han Mo, 415–416
Jerome, R. 235–238
Jezzard, P. 74–76
Jiu, X. 123–125
Johnson, A. F. 89–93
Jois, Y. H. R. 13–16, 168–170
Jongsma, T. 34–35
Junginger, H. E. 20–21

Kabra, B. H. 322–323
Kang, E. T. 412–414
Kao, K. C. 329–331
Karasz, F. E. 30–32, 185–188, 430–432
Katayama, S. 558–560
Keller, T. M. 2–4
Khan, A. M. 220–224
Khan, Z. H. 54–57
Kim, H. 108–112
Kinkes, P. 34–35
Kotun, M. E. 486–488
Kruger, F. W. H. 497–500
Kurokawa, Y. 524–527
Kwok, K. W. 285–288

Lucas, J. C. 226–228
Lacoste, J. 317–320
Lahalih, S. 54–57
Lam, P. K. H. 80–82
Lam-Leung, S. Y. 501–503
Langer, M. E. 453–455
Lau, W. W. Y. 202–203
Laus, M. 5–7
Lee, C. S. 202–203
Lee, K.-S. 361–362
Lee Sukmin, 415–416
Lemstra, P. J. 343–345
Leung, W. P. 285–288
Levi, M. 245–247
Li, B. 423–425
Li, G. 189–192
Li, T. 561–563
Li, Y. 189–192
Liao, B. 348–352
Liatsis, D. 196–199
Liberati, P. 453–455
Liggat, J. J. 450–452
Lim, C. 204–207
Lipatov, Y. S. 254–256
Litauszki, L. 542–544

Author Index

Audebert, R. 456–458
Abied, H. 137–139
Abis, L. 208–212
Achibat, T. 258–260
Adam, C. 317–320
Agarwal, P. K. 149–151, 235–238
Ahn, T. O. 415–416
Ahsan, M. A. 509–512
Ajroldi, G. 71–73
Akhaury, R. 10–12
Al-Saigh, Z. Y. 459–463
Alekseeva, T. T. 254–256
Alvarez, C. 504–505
Aminabhavi, T. M. 120–122
Andersson, M. 546–548
Angeloni, A. S. 5–7
Asakura, T. 213–216

Bolte, M. 229–231
Babchinitser, T. M. 409–411
Badyal, J. P. S. 152–154, 217–219
Barrie, J. A. 80–82, 509–512
Beautemps, J. 258–260
Benrokia, F. 433–435
Berger, W. 542–544
Bergeron, J.-Y. 403–404
Bertorello, H. 504–505
Bheda, M. C. 204–207
Bianchi, E. 45–46
Binder, M. 140–142
Bohm, L. L. 58–61
Boinon, B. 567–569
Bond, S. G. 290–292
Booth, C. 348–352
Boukenter, A. 258–260
Boven, G. 50–53
Briggs, D. 506–508
Brinke, G. 185–188
Briscoe, B. J. 196–199
Brostow, W. 551–554
Burillo, G. 248–250

Camps, M. 433–435
de Candia, F. 306–309
Carpenter, T. A. 36–39, 74–76
Carreon, P. 248–250
Cartier, N. 116–119
Casey, P. K. 27–29
Cassidy, P. E. 405–408
Cataldo, F. 354–355
Chabert, B. 464–468
Challa, G. 34–35, 47–49, 50–53, 518–523
Chan, W. H. 501–503
Chatterjee, N. 220–224, 473–476
Chatterjee, S. K. 220–224, 473–476
Chen, D. 123–125
Chen, W. 518–523
Chen, Y. 189–192
Chiellini, E. 5–7
Choy, C. L. 285–288
Chu, G. 561–563
Chujo, R. 397–399
Cimmino, S. 251–253
Cioni, P. 208–212
Clayden, N. J. 74–76
Colletti, R. F. 332–335
Colquhoun, H. M. 272–274
Comitani, C. 514–517
Cong, G. 155–157
Conio, G. 45–46
Cooney, D. 555–557
Coppola, L. 5–7
Corradini, P. 30–32
Cowie, J. M. G. 293–296
de Crespigny, A. J. S. 36–39
Croxton, C. A. 66–68

Damman, P. 477–480
Daniels, J. A. 272–274
Dao, L. H. 403–404
Dauphin, G. 317–320
Davis, F. J. 268–271, 380–381
Davis, G. T. 113–115
De, S. K. 376–379
De Rosa, C. 30–32
DeReggi, A. S. 113–115
Delaviz, Y. 103–105
Devaux, E. 464–468
Di Pace, E. 251–253
DiAnselmo, A. 367–369
DiBenedetto, A. T. 367–369
Dirlikov, S. 536–537
Dormard, A. 116–119
Douglas, W. E. 495–496
Draganova, M. 443–445, 446–448
Duggal, A. R. 356–360
Duval, E. 258–260

Ebdon, J. R. 290–292
Edwards, H. G. M. 89–93
Edwards, S. F. 162–163, 194–195
Eisenberg, A. 370–373
Ekeblad, P. O. 436–438, 546–548
Elliott Jr., J. R. 10–12
Ellis, T. S. 489–492
Ennis, B. C. 275–278
Esser, I. 538–541

Fasce, D. P. 226–228
Faber, M. C. 47–49
Fallini, A. 245–247
Fang, B. 382–384
Farahani, B. V. 473–476
Fawcett, A. H. 77–79
Ferguson, R. 293–296
Fewell, L. L. 393–396
Finney, L. 393–396
Fischer, E. W. 469–472
Folkersma, R. 50–53
Frenkel, C. M. 409–411
Frischinger, I. 536–537
Fukutomi, T. 374–375
Fytas, G. 469–472

Gaboury, S. R. 171–175, 390–392
Gallagher, K. P. 180–182
Galli, G. 5–7
Garbassi, F. 208–212
Gehrke, S. H. 322–323
George, M. H. 80–82, 509–512
Gerharz, B. 469–472
Ghosh, S. 220–224
Gibson, H. W. 13–16, 103–105, 134–136, 168–170, 204–207, 324–328
Gilbert, A. 380–381
van Gisbergen, J. 261–263
Goh, S. H. 200–201, 202–203
Gorda, K. R. 25–26
Grassi, A. 430–432
Guenet, J.-M. 137–139, 477–480
Guerra, G. 30–32, 430–432
Guilani, B. 13–16, 324–328
Guo, Q. 22–24, 62–64
Guo, W, 268–271
Gutierrez, A. 25–26
Gvozdic, N. V. 183–184, 493–494

Hager, W. S. 405–408
Hagler, T. W. 339–342
Hall, L. D. 36–39, 74–76
Han, C. C. 108–112
Harogoppad, S. B. 120–122
Hatada, K. 497–500
He, Z. 239–241, 123–125
Heeger, A. J. 339–342
Herrmann, H.-F. 58–61
Hjertberg, T. 546–548
Hong, T. M. 162–163, 194–195
Horrion, J. 235–238, 149–151
Horsky, J. 346–347
Hoskins, A. R. 89–93
Hovakeemian, G. 54–57
Hu Chun Pu, 382–384
Hu, H. 123–125
Huang, Y. 155–157
Huglin, M. B. 130–133

Iliopoulos, I. 456–458
Inganas, O. 436–438, 546–548
Inoue, T. 17–19
Inoue, Y. 397–399
Ishii, K. 314–316
Ishikawa, S. 374–375
Ishizu, K. 374–375, 386–389
Italia, S. 514–517
Itaya, T. 564–566
Ito, H. 164–167

Jackson, P. 74–76
Jana, P. B. 376–379
Jancar, J. 367–369
Jeno, M. 332–335
Jeong Han Mo, 415–416
Jerome, R. 235–238
Jezzard, P. 74–76
Jiu, X. 123–125
Johnson, A. F. 89–93
Jois, Y. H. R. 13–16, 168–170
Jongsma, T. 34–35
Junginger, H. E. 20–21

Kabra, B. H. 322–323
Kang, E. T. 412–414
Kao, K. C. 329–331
Karasz, F. E. 30–32, 185–188, 430–432
Katayama, S. 558–560
Keller, T. M. 2–4
Khan, A. M. 220–224
Khan, Z. H. 54–57
Kim, H. 108–112
Kinkes, P. 34–35
Kotun, M. E. 486–488
Kruger, F. W. H. 497–500
Kurokawa, Y. 524–527
Kwok, K. W. 285–288

Lucas, J. C. 226–228
Lacoste, J. 317–320
Lahalih, S. 54–57
Lam, P. K. H. 80–82
Lam-Leung, S. Y. 501–503
Langer, M. E. 453–455
Lau, W. W. Y. 202–203
Laus, M. 5–7
Lee, C. S. 202–203
Lee, K.-S. 361–362
Lee Sukmin, 415–416
Lemstra, P. J. 343–345
Leung, W. P. 285–288
Levi, M. 245–247
Li, B. 423–425
Li, G. 189–192
Li, T. 561–563
Li, Y. 189–192
Liao, B. 348–352
Liatsis, D. 196–199
Liberati, P. 453–455
Liggat, J. J. 450–452
Lim, C. 204–207
Lipatov, Y. S. 254–256
Litauszki, L. 542–544

Liu, D. 329–331
Liu, W. 423–425
Long, F. 125–128
Lorentz, G. 258–260
Lovell, P. A. 98–103
Lu, X. 426–429
Luliano, M. 430–432
Lundberg, R. D. 25–26

Magny, B. 456–458
Mailhot, G. 229–231
MacKnight, W. J. 430–432
Maeda, Y. 279–284
Majkrzak, C. F. 363–366
Mammone, R. J. 140–142
Mao, L. J. 242–244
Marchessault, R. H. 164–167
Marchionni, G. 71–73
Mariani, A. 45–46
Marsano, E. 45–46
Martuscelli, E. 251–253
Mathias, L. J. 27–29, 332–335
Mathur, G. N. 439–442
Matsuura, T. 555–557
McEwen, I. J. 293–296
McGrath, J. E. 400–402
Meier, D. J. 183–184, 493–494
Michele, A. 232–234
Miljkovic, L. 105–107
Minor, H. 297–300
Mitcheli, G. R. 268–271, 380–381
Mogus-Milankovic, A. 533–535
Molnar, A. 370–373
Montheard, J.-P. 567–569
Morii, H. 42–44
Moulton, J. 339–342
Muellerieile, J. T. 176–179
Munro, H. S. 152–154
Murthy, N. S. 297–300, 301–305

Nagarkar, G. S. 486–488
Nakayama, N. 213–216
Nam ByeongUk, 415–416
Navarro, R. E. 248–250
Neef, C. J. 405–408
Nelissen, L. 421–422
Nelson, K. A. 356–360
Neo, M. K. 200–201
Neoh, K. G. 412–414
Ng, C. F. 501–503
Nies, E. 418–420, 421–422
Nilsson, S. 158–160

Occhiello, E. 208–212
Ochiai, H. 564–566
Ogawa, T. 248–250
Ohta, Y. 397–399
Othmezouri-Decerf, J. 143–148
Otsu, T. 528–529, 530–532
Ovenall, D. W. 549–550
Overend, A. S. 495–496

Philippart, J.-L. 229–231
Pakbaz, K. 339–342
Pandit, U. K. 47–49
Pandya, A. 13–16, 134–136
Park, J. R. 310–313
Parsons, I. W. 538–541
Pasch, H. 54–57
Pavlova, M. 443–445, 446–448
Peemoeller, H. 105–107
Peiffer, D. G. 25–26
Petraccone, V. 30–32
Pezzin, G. 71–73
Pham, Q.-T. 567–569
Piculell, L. 158–160
Po, R. 208–212
Point, J. J. 477–480
Polzonetti, G. 68–71
Provder, T. 171–175

Qian, R. 125–128, 189–192

Radhakrishnan, G. 93–96
Rai, J. S. P. 439–442
Raihane, M. 567–569
Rajabi, F. H. 473–476
Rajalingam, P. 93–96
Rajan, H. 93–96
Ranieri, G. A. 5–7
Rasco, M. L. 13–16
Reedijk, J. 518–523
Rego, J. M. 130–133
Reid, V. M. C. 293–296
Reinhardt, B. A. 85–88
Ricci, G. 514–517
Rice, D. M. 430–432
Righetti, M. C. 71–73
Roorda, W. E. 20–21
Runt, J. 180–182
Russo, M. V. 68–71
Russo, R. 306–309
Russo, S. 45–46

Saito, R. 386–389
Sakurai, M. 397–399
Salomons, W. 185–188
Samoc, M. 361–362
Satija, S. K. 363–366
Sato, M.-A. 42–44
Savitsky, G. B. 486–488
Schacht, E. 20–21
Scholten, J. 421–422
Schouten, A. J. 50–53
Schouten, J. A. 421–422
Schreiner, L. J. 105–107
Shah, T. H. 98–103
Shard, A. G. 152–154, 217–219
Shen, D. 125–128
Shen, Y. X. 204–207
Shiono, T. 310–313
Shworak, A. E. 409–411
Silvestre, C. 251–253
Simonsick, W. J. 497–500
Smelianski, D. V. 409–411
Smith, C. D. 400–402
Smith, P. 339–342
Soga, K. 310–313
Song, M. 155–157
Sotelo, M. 248–250
Soutar, I. 264–267
Spencer, H. G. 486–488
Srinivasan, G. 10–12
St. John Manley, R. 164–167
Staniland, P. A. 450–452
Stephenson, I. R. 272–274
Strumia, M. 504–505
Swanson, L. 264–267
Sze, J. 204–207
Szeto, D. Y. S. 77–79

Tan, K. L. 412–414
Teghil, R. 68–71
Terano, M. 314–316
Tervoort-Engelen, Y. 261–263, 343–345
Thomas, E. L. 482–485
Tianlu, C. 22–24
Tianru, F. 22–24
Tieghi, G. 245–247
Topic, M. 533–535
Trans-Cong, Q. 108–112
Truong, V.-T. 275–278
Truong, Y. B. 275–278
Tsutsumi, N. 113–115

Unroe, M. R. 85–88
Urban, M. W. 171–175, 390–392

Van Alsten, J. 549–550
Van Bos, M. 20–21
Van de Berg, H. J. 47–49
Varma, S. C. 509–512
Veracaini, C. A. 5–7
Vitagliano, V. M. 30–32
Vittoria, V. 232–234, 306–309
Vleeshouwers, S. 418–420
Vogl, O. 497–500

Williams, R. J. J. 226–228
Wada, K. 405–408
Waddington, S. 506–508
Wade, K. 272–274
Waldow, D. A. 108–112
Wang, B. 400–402
Wang, Y. 426–429
Warnas, A. A. 83–85
Wennerstrom, O. 546–548
Whitcombe, M. J. 380–381
Wilkes, G. L. 176–179, 400–402
Wolf, B. A. 551–554
Woo, Y. L. 412–414
Wu, C. 204–207
Wu, W.-l. 363–366
Wudl, F. 339–342

Xian, W. 336–338
Xu Hong Bin, 382–384
Xu, J. 336–338

Yamamoto, M. 108–112
Yamazaki, S. 524–527
Yang, J.-Z. 528–529, 530–532
Yang, X. 125–128
Yimin, C. 348–352
Yin, J. 423–425
Ying, S. K. 242–244
Ying, Sheng Ka, 382–384
York, G. A. 176–179
Yoshikawa, M. 555–557
Yukimasa, S. 386–389
Yukioka, S. 17–19

Zeng, H. 336–338
Zhang, H. 239–241, 123–125
Zhang, W. 482–485
Zhang, Z. P. 242–244
Zhiliu, F. 22–24
Zhou, J. 423–425

Subject Index

Activation energy
Creep
Polyethylene, 83–85
Adhesion
Polypropylene
X.p.s., 506–508
Adhesives
Polyurethane
Isocyanurate, 443–445
Ageing
Polycarbonate
Viscoelasticity, 143–148
Amino acid
Polythiophene
Side-chain, 546–548
Aniline
Copolymer
Conduction, 403–404
Annealing
Polystyrene
Crystallization, 183–184
Melting behaviour, 493–494
Aromatic polymers
Polyamide
Miscibility, 489–492
Viscosity
Solubility, 85–88
Aryl ether ketone
Synthesis
Crystallization, 450–452

Benzene
Transport
Structure, 120–122
Blend
Miscibility
Styrene-acrylonitrile, 415–416
Blends
Copolymer
Compatibility, 22–24
Styrene, 185–188
Crystallization
Polymorphism, 30–32
Fracture
Toughness, 423–425
Interaction parameter
Melting behaviour, 180–182
Miscibility
Phase behaviour, 62–64
Phase diagrams, 155–157
Poly(vinyl pyrrolidone), 200–201
Polysulphone, 202–203
Nylon-6
Polystyrene, 370–373
Polypropylene
Morphology, 242–244
Thermal properties
Conductivity, 348–352
Block copolymers
Crystallization
D.s.c., 374–375
Polymerization
Organization effect, 386–389
Relaxation
Polystyrene, 469–472
Synthesis
Characterization, 45–46
Bromal oligomers
Synthesis
Characterization, 497–500
Bromination
Nuclear magnetic resonance
Poly(arylene ether sulphone), 538–541
Bromine
Polystyrene
Kinetics, 433–435
Brownian dynamics
^{13}C n.m.r. spectroscopy
Chain mobility, 549–550

^{13}C n.m.r. spectroscopy
Brownian dynamics
Chain mobility, 549–550
Photo-oxidation
Polybutadiene, 317–320
Polystyrene
Crystal structure, 430–432
Tacticity
^{13}C γ-effect, 213–216
Carbaborane
Poly(ether-ketone)
Thermoplastic, 272–274
Catalysis
Crosslinking
Polymerization, 495–496
Catalyst
Polymerization
Dialkenes, 514–517
Reactivity, 25–26
Cellulose acetate
Optical properties
Poly(vinyl alcohol), 524–527
Ceramer materials
Refractive index
Sol-gel transition, 400–402
Chain conformation
Polystyrene
Phase transition, 306–309
Chain mobility
^{13}C n.m.r. spectroscopy
Brownian dynamics, 549–550
Characterization
Doping
Polyphenylacetylene, 68–71
Nuclear magnetic resonance
Nylon, 332–335
Polymerization
Photoinitiation, 27–29
Pore size
Size exclusion chromatography, 10–12
Synthesis
Block copolymers, 45–46
Poly(vinyl 4-methoxycinnamate), 453–455
Chromatography
Oligomers
Elution, 116–119
Polymerization
Spectroscopy, 98–103
Complexation
Copolymer
Interaction parameter, 220–224
Complexes
Neutron scattering
Poly(ethylene oxide), 477–480
Thermodynamics
Stability, 473–476
Composite
Nylon 66
Polypyrrole, 189–192
Conduction
Copolymer
Aniline, 403–404
Conductivity
Thermal properties
Blends, 348–352
Configuration
Polymerization
Electrochemistry, 42–44
Conformation
Poly(ethylene terephthalate)
Spectroscopy, 125–128
Conjugated polymer
Polyethylene
Mesoepitaxy, 339–342
Copolyester
Nuclear magnetic resonance
Ethylene glycol, 208–212
Copolyimidines
Synthesis
Polycondensation, 405–408
Copolymer
Aniline
Conduction, 403–404
Blends
Compatibility, 22–24
Styrene, 185–188
Complexation
Interaction parameter, 220–224
Ethylene
Propylene, 310–313, 314–316
Molecular weight
Methyl styrene, 528–529
Phase behaviour
Interaction parameter, 293–296
Photolysis
Nuclear magnetic resonance, 290–292
Thermal stability
Spectral properties, 113–115
Copolymerization
2,6-Dimethylphenol
Molecular weight, 518–523
Nuclear magnetic resonance
Methylvinylidene cyanide, 567–569
Photoinitiation
Diradical, 561–563
Reactivity ratios
Infra-red spectroscopy, 130–133
Styrene
Electron density, 34–35
Counterion binding
Poly(allylamine)
Dissociation, 564–566
Polyelectrolyte
N.m.r., 486–488
Creep
Polyethylene
Activation energy, 83–85
Crosslinking
Catalysis
Polymerization, 495–496
Hydrogels
Glass transition temperature, 20–21
Kinetic gelation
Instability, 194–195
Network
Theory, 162–163
Crown ether
Synthesis
Yield, 103–105
Crystallization
Blends
Polymorphism, 30–32
Block copolymers
D.s.c., 374–375
Polypropylene
Glass fibres, 464–468
Polystyrene
Annealing, 183–184
Synthesis
Aryl ether ketone, 450–452
Crystal structure
Polystyrene
^{13}C n.m.r. spectroscopy, 430–432
Curing
Epoxy
Glass transition temperature, 275–278

Cyclic polymer
Polystyrene
Light scattering, 239–241
Cyclohexane
D.s.c.
Membrane, 555–557
Cyclopolymerization
Oligomers
Isocyanurate, 446–448

D.s.c.
Block copolymers
Crystallization, 374–375
Cyclohexane
Membrane, 555–557
Epoxy novolacs
Synthesis, 439–442
Glass transition temperature
Polystyrene, 123–125
Deformation
Gels
Films, 164–167
Dialkenes
Polymerization
Catalyst, 514–517
Dielectric behaviour
Polypyrrole
Electrolyte, 140–142
Diffusion
Temperature dependence
Melts, 108–112
2,6-Dimethylphenol
Copolymerization
Molecular weight, 518–523
Diradical
Copolymerization
Photoinitiation, 561–563
Doping
Characterization
Polyphenylacetylene, 68–71
X.p.s.
Polypyrrole, 412–414
Drawing
Raman spectroscopy
PET, 258–260
Ductile-brittle transition
Polypropylene
Elastomers, 367–369

E.s.c.a.
Polyimide
Film, 393–396
Elastomers
Heat transfer
Nitrogen, 196–199
Polypropylene
Ductile-brittle transition, 367–369
Polyurethane
Ionomers, 80–82
Electrochemistry
Configuration
Polymerization, 42–44
Electrolyte
Dielectric behaviour
Polypyrrole, 140–142
Electron density
Copolymerization
Styrene, 34–35
Electron microscopy
Morphology
Polyimide, 176–179
Polyisocyanurates, 409–411
Poly(p-xylylene)
Monomer image, 482–485
Elution
Oligomers
Chromatography, 116–119
Epoxy
Curing
Glass transition temperature, 275–278
Epoxy novolacs
Synthesis
D.s.c., 439–442
Epoxy resin
Isothermal depolarization
Parasitic current, 533–535
Toughness
Rubber, 536–537
Equation of state
Polystyrene
Polymer glass, 418–420
Ethylene
Plasma
Polymerization, 329–331
Polymerization
Morphology, 58–61
Propylene
Copolymer, 310–313, 314–316
Ethylene glycol
Nuclear magnetic resonance
Copolyester, 208–212
Excimer fluorescence
Hydrophobic
Copolymers, 264–267

Film
E.s.c.a.
Polyimide, 393–396
Optical properties
Polyazomethines, 361–362
Poly(methyl methacrylate)
Interface, 17–19
Fracture
Toughness
Blends, 423–425
Free radical
Polymerization
Gelation, 226–228

Gels
Deformation
Films, 164–167
Swelling
Phase separation, 322–323
Volume changes
Phase transition, 558–560
Glass fibres
Crystallization
Polypropylene, 464–468
Glass transition temperature
Crosslinking
Hydrogels, 20–21
Epoxy
Curing, 275–278
Molecular weight
Viscosity, 71–73
Poly(ether-ether-ketone)
Phase diagrams, 279–284
Polystyrene
D.s.c., 123–125
Pressure, 421–422
Grafting
Poly(methyl methacrylate)
Initiator, 50–53

Heavy metal ions
Hydrogels
Absorption, 504–505
Hydration
Nuclear magnetic resonance
Stoichiometry, 105–107
Hydrogels
Crosslinking
Glass transition temperature, 20–21
Heavy metal ions
Absorption, 504–505
Hydrophobic
Excimer fluorescence
Copolymers, 264–267
Viscosity
Polyelectrolyte, 456–458

Imaging
Nuclear magnetic resonance
Solution, 36–39
Infra-red spectroscopy
Copolymerization
Reactivity ratios, 130–133
Synthesis
Poly(p-phenylene vinylene), 354–355
Initiator
Poly(methyl methacrylate)
Grafting, 50–53
Injection moulding
Liquid crystalline polymer
Thermal diffusivity, 285–288
Interaction parameter
Blends
Melting behaviour, 180–182
Copolymer
Complexation, 220–224
Phase behaviour
Copolymer, 293–296
Interface
Poly(methyl methacrylate)
Film, 17–19
Structure
Neutron reflectivity, 363–366
Inverse gas chromatography
Thermodynamics
Poly(ethyl methacrylate), 459–463
Ion conductivity
Polymer electrolyte
Polyester, 382–384
Ionomers
Polyurethane
Elastomers, 80–82
Isocyanurate
Oligomers
Cyclopolymerization, 446–448
Polyurethane
Adhesives, 443–445
Isoquinoline
Reissert compounds
Synthesis, 324–328
Isothermal depolarization
Epoxy resin
Parasitic current, 533–535

Kinetics
Polychloroprene
Vulcanization, 376–379
Polymer solutions
Concentration, 551–554
Polystyrene
Bromine, 433–435
Polyurethane
Network, 254–256

Lamellar morphology
TEM
Polypropylene, 261–263
Laser
Raman spectroscopy
Polymerization, 229–231
Light scattering
Polystyrene
Cyclic polymer, 239–241
Liquid crystal
Synthesis
Polyacrylate, 380–381
Liquid crystal polymers
Blends
Morphology, 336–338
X-ray scattering
Copolymers, 268–271
Liquid crystalline polymer
Injection moulding
Thermal diffusivity, 285–288
Melting
Side-chain, 77–79
Nuclear magnetic resonance
Relaxation, 5–7

Mechanical properties
Nylon-6
Metastable phase, 301–305
Melting
Liquid crystalline polymer
Side-chain, 77–79
Melting behaviour
Blends
Interaction parameter, 180–182
Polystyrene
Annealing, 493–494
Melts
Temperature dependence
Diffusion, 108–112
Membrane
D.s.c.
Cyclohexane, 555–557
Polyurethane
Permeability, 509–512
Synthesis
Reverse osmosis, 501–503
Mesoepitaxy
Conjugated polymer
Polyethylene, 339–342
Metallic ions
Spectroscopy
Solution, 89–93
Metastable phase
Nylon-6
Mechanical properties, 301–305
Methacrylates
Polymerization
Synthesis, 248–250
Methyl styrene
Copolymer
Molecular weight, 528–529
Methylvinylidene cyanide
Nuclear magnetic resonance
Copolymerization, 567–569
Miscibility
Aromatic polymers
Polyamide, 489–492
Blend
Styrene-acrylonitrile, 415–416
Blends
Phase behaviour, 62–64
Poly(vinyl pyrrolidone), 200–201
Polysulphone, 202–203
Phase diagrams
Blends, 155–157
Phase separation
Polyelectrolyte, 158–160
Model
Stability
Polystyrene, 47–49
Molecular weight
Copolymer
Methyl styrene, 528–529
Copolymerization
2,6-Dimethylphenol, 518–523
Glass transition temperature
Viscosity, 71–73
Viscoelasticity
Polydiene, 235–238
Viscosity
Poly(oxyethylene), 346–347
Monomer image
Poly(p-xylylene)
Electron microscopy, 482–485
Morphology
Electron microscopy
Polyimide, 176–179
Polyisocyanurates, 409–411
Polyethylene, 343–345
Polymerization
Ethylene, 58–61
Polypropylene
Blends, 242–244
Polystyrene
Spherulite, 251–253
Transition
Monte Carlo calculation, 66–68

Network
Crosslinking
Theory, 162–163
Polyurethane
Kinetics, 254–256
Neutron reflectivity
Interface
Structure, 363–366
Neutron scattering
Complexes
Poly(ethylene oxide), 477–480
Nuclear magnetic resonance
Copolyester
Ethylene glycol, 208–212
Copolymerization
Methylvinylidene cyanide, 567–569
Hydration
Stoichiometry, 105–107
Liquid crystalline polymer
Relaxation, 5–7
Nylon
Characterization, 332–335
Phase separation
Polyurethanes, 426–429
Photolysis
Copolymer, 290–292
Poly(arylene ether sulphone)
Bromination, 538–541
Relaxation
Thermal properties, 74–76
Solution
Imaging, 36–39
Synthesis
Reissert compounds, 13–16
Nylon
Nuclear magnetic resonance
Characterization, 332–335
Nylon 66
Composite
Polypyrrole, 189–192
Nylon-6
Metastable phase
Mechanical properties, 301–305
Polystyrene
Blends, 370–373
Structure
Unit cell parameters, 297–300

Oligomers
Chromatography
Elution, 116–119
Isocyanurate
Cyclopolymerization, 446–448
Synthesis
FTir spectroscopy, 2–4
Optical properties
Cellulose acetate
Poly(vinyl alcohol), 524–527
Polyazomethines
Film, 361–362
Organic acids
Solution properties
Polybutadiene, 149–151
Organization effect
Polymerization
Block copolymers, 386–389

PEEK
Structure
Transport properties, 232–234
PET
Raman spectroscopy
Drawing, 258–260
Parasitic current
Epoxy resin
Isothermal depolarization, 533–535
Phase behaviour
Copolymer
Interaction parameter, 293–296
Miscibility
Blends, 62–64
Phase diagrams
Miscibility
Blends, 155–157
Poly(ether-ether-ketone)
Glass transition temperature, 279–284
Phase separation
Gels
Swelling, 322–323
Nuclear magnetic resonance
Polyurethanes, 426–429
Polyelectrolyte
Miscibility, 158–160
Phase transition
Gels
Volume changes, 558–560
Polystyrene
Chain conformation, 306–309
Photo-oxidation
^{13}C n.m.r. spectroscopy
Polybutadiene, 317–320
Photoinitiation
Copolymerization
Diradical, 561–563
Polymerization
Characterization, 27–29
Photolysis
Copolymer
Nuclear magnetic resonance, 290–292
Piezoelectricity
Vinylidene cyanide
Copolymers, 397–399
Plasma
Polyethylene
Ultra violet radiation, 217–219
Polymerization
Ethylene, 329–331
Spectroscopy, 152–154
Spectroscopy
Poly(dimethylsiloxane), 390–392
Poly(3-pentylthiopene)
Polymerization
Thermochromism, 436–438
Poly(allylamine)
Counterion binding
Dissociation, 564–566
Poly(arylene ether sulphone)
Nuclear magnetic resonance
Bromination, 538–541
Poly(dimethylsiloxane)
Spectroscopy
Plasma, 390–392
Poly(ether-ether-ketone)
Phase diagrams
Glass transition temperature, 279–284
Poly(ether-ketone)
Carbaborane
Thermoplastic, 272–274
Poly(ethyl methacrylate)
Thermodynamics
Inverse gas chromatography, 459–463
Poly(ethylene oxide)
Neutron scattering
Complexes, 477–480
Poly(ethylene terephthalate)
Spectroscopy
Conformation, 125–128
Poly(methyl methacrylate)
Film
Interface, 17–19
Initiator
Grafting, 50–53
Stress relaxation
Viscoelasticity, 245–247
Poly(oxyethylene)
Viscosity
Molecular weight, 346–347
Poly(p-xylylene)
Electron microscopy
Monomer image, 482–485

Poly(vinyl 4-methoxycinnamate)
Synthesis
Characterization, 453–455
Poly(vinyl alcohol)
Optical properties
Cellulose acetate, 524–527
Poly(vinyl chloride)
Solution
Chain conformation, 137–139
Polyacrylate
Synthesis
Liquid crystal, 380–381
Polyamide
Aromatic polymers
Miscibility, 489–492
Polyazomethines
Optical properties
Film, 361–362
Polybutadiene
^{13}C n.m.r. spectroscopy
Photo-oxidation, 317–320
Polycarbonate
Ageing
Viscoelasticity, 143–148
Polychloroprene
Vulcanization
Kinetics, 376–379
Polycondensation
Synthesis
Copolyimidines, 405–408
Polydiene
Viscoelasticity
Molecular weight, 235–238
Polyelectrolyte
Counterion binding
N.m.r., 486–488
Phase separation
Miscibility, 158–160
Viscosity
Hydrophobic, 456–458
Polyester
Polymer electrolyte
Ion conductivity, 382–384
Spectroscopy
Styrene, 171–175
Polyethylene
Conjugated polymer
Mesoepitaxy, 339–342
Creep
Activation energy, 83–85
Morphology, 343–345
Plasma
Ultra violet radiation, 217–219
Polyimide
E.s.c.a.
Film, 393–396
Morphology
Electron microscopy, 176–179
Synthesis
Thermal properties, 542–544
Polyisocyanurates
Morphology
Electron microscopy, 409–411
Polymer electrolyte
Polyester
Ion conductivity, 382–384
Polymer glass
Polystyrene
Equation of state, 418–420
Polymer solutions
Kinetics
Concentration, 551–554
Polymerization
Block copolymers
Organization effect, 386–389
Catalyst
Dialkenes, 514–517
Reactivity, 25–26
Characterization
Photoinitiation, 27–29
Configuration
Electrochemistry, 42–44
Morphology
Ethylene, 58–61
Plasma
Ethylene, 329–331
Spectroscopy, 152–154
Raman spectroscopy
Laser, 229–231
Spectroscopy
Chromatography, 98–103
Synthesis
Methacrylates, 248–250
Polymethylene, 530–532
Reissert compounds, 134–136
Thermochromism
Poly(3-pentylthiopene), 436–438
Polymethylene
Polymerization
Synthesis, 530–532
Polymorphism
Crystallization
Fracture, 30–32
Polypropylene
Adhesion
X.p.s., 506–508
Crystallization
Glass fibres, 464–468
Ductile-brittle transition
Elastomers, 367–369
Morphology
Blends, 242–244
TEM
Lamellar morphology, 261–263
Polypyrrole
Composite
Nylon 66, 189–192
Dielectric behaviour
Electrolyte, 140–142
X.p.s.
Doping, 412–414
Polyrotaxane
Synthesis
Transesterification, 204–207
Polystyrene
Annealing
Melting behaviour, 493–494
Bromine
Kinetics, 433–435
^{13}C n.m.r. spectroscopy
Crystal structure, 430–432
Chain conformation
Phase transition, 306–309
Crystallization
Annealing, 183–184
Cyclic polymer
Light scattering, 239–241
Equation of state
Polymer glass, 418–420
Glass transition temperature
D.s.c., 123–125
Pressure, 421–422
Morphology
Spherulite, 251–253
Nylon-6
Blends, 370–373
Relaxation
Block copolymers, 469–472
Stability
Model, 47–49
Polythiophene
Amino acid
Side-chain, 546–548
Polyurethane
Ionomers
Elastomers, 80–82
Isocyanurate
Adhesives, 443–445
Membrane
Permeability, 509–512
Network
Kinetics, 254–256
Synthesis
Solution properties, 93–96
Pore size
Characterization
Size exclusion chromatography, 10–12
Pressure
Polystyrene
Glass transition temperature, 421–422
Propylene
Ethylene
Copolymer, 310–313, 314–316
Propylene glycol
Scattering
Relaxation, 356–360

Raman spectroscopy
PET
Drawing, 258–260
Polymerization
Laser, 229–231
Reactivity
Polymerization
Catalyst, 25–26
Reactivity ratios
Copolymerization
Infra-red spectroscopy, 130–133
Refractive index
Ceramer materials
Sol-gel transition, 400–402
Reissert compounds
Nuclear magnetic resonance
Synthesis, 13–16
Synthesis
Aminonitrile, 168–170
Isoquinoline, 324–328
Polymerization, 134–136
Relaxation
Block copolymers
Polystyrene, 469–472
Nuclear magnetic resonance
Liquid crystalline polymer, 5–7
Thermal properties, 74–76
Scattering
Propylene glycol, 356–360
Resin
Structure
Size exclusion chromatography, 54–57
Reverse osmosis
Synthesis
Membrane, 501–503
Rubber
Epoxy resin
Toughness, 536–537

Scattering
Relaxation
Propylene glycol, 356–360
Side-chain
Liquid crystalline polymer
Melting, 77–79
Polythiophene
Amino acid, 546–548
Sol-gel transition
Ceramer materials
Refractive index, 400–402
Solubility
Aromatic polymers
Viscosity, 85–88
Solution
Nuclear magnetic resonance
Imaging, 36–39
Poly(vinyl chloride)
Chain conformation, 137–139
Spectroscopy
Metallic ions, 89–93
Solution properties
Organic acids
Polybutadiene, 149–151
Synthesis
Polyurethane, 93–96

Spectral properties
Copolymer
Thermal stability, 113–115
Spectroscopy
Plasma
Poly(dimethylsiloxane), 390–392
Polymerization, 152–154
Poly(ethylene terephthalate)
Conformation, 125–128
Polyester
Styrene, 171–175
Polymerization
Chromatography, 98–103
Solution
Metallic ions, 89–93
Spherulite
Morphology
Polystyrene, 251–253
Stability
Polystyrene
Model, 47–49
Thermodynamics
Complexes, 473–476
Stoichiometry
Hydration
Nuclear magnetic resonance, 105–107
Stress relaxation
Poly(methyl methacrylate)
Viscoelasticity, 245–247
Structure
Interface
Neutron reflectivity, 363–366
Nylon-6
Unit cell parameters, 297–300
PEEK
Transport properties, 232–234
Resin
Size exclusion chromatography, 54–57
Transport
Benzene, 120–122
Styrene
Copolymer
Blends, 185–188
Copolymerization
Electron density, 34–35
Spectroscopy
Polyester, 171–175
Swelling
Gels
Phase separation, 322–323
Synthesis
Bromal oligomers
Characterization, 497–500
Characterization
Block copolymers, 45–46
Poly(vinyl 4-methoxycinnamate), 453–455
Copolyimidines
Polycondensation, 405–408
Crown ether
Yield, 103–105
Crystallization
Aryl ether ketone, 450–452
Epoxy novolacs
D.s.c., 439–442
Infra-red spectroscopy
Poly(p-phenylene vinylene), 354–355
Membrane
Reverse osmosis, 501–503
Nuclear magnetic resonance
Reissert compounds, 13–16
Oligomers
FTir spectroscopy, 2–4
Polyacrylate
Liquid crystals, 380–381
Polyimide
Thermal properties, 542–544
Polymerization
Methacrylates, 248–250
Polymethylene, 530–532
Reissert compounds, 134–136
Polyurethane
Solution properties, 93–96
Reissert compounds
Aminonitrile, 168–170
Isoquinoline, 324–328
Transesterification
Polyrotaxane, 204–207

TEM
Polypropylene
Lamellar morphology, 261–263
Temperature dependence
Diffusion
Melts, 108–112
Thermal diffusivity
Liquid crystalline polymer
Injection moulding, 285–288
Thermal properties
Blends
Conductivity, 348–352
Nuclear magnetic resonance
Relaxation, 74–76
Polyimide
Synthesis, 542–544
Thermal stability
Copolymer
Spectral properties, 113–115
Thermochromism
Polymerization
Poly(3-pentylthiopene), 436–438
Thermodynamics
Complexes
Stability, 473–476
Poly(ethyl methacrylate)
Inverse gas chromatography, 459–463
Thermoplastic
Carbaborane
Poly(ether-ketone), 272–274
Toughness
Epoxy resin
Rubber, 536–537
Fracture
Blends, 423–425
Transesterification
Synthesis
Polyrotaxane, 204–207
Transition
Morphology
Monte Carlo calculation, 66–68
Transport
Benzene
Structure, 120–122
Transport properties
PEEK
Structure, 232–234

Unit cell parameters
Nylon-6
Structure, 297–300

Vinylidene cyanide
Piezoelectricity
Copolymers, 397–399
Viscoelasticity
Molecular weight
Polydiene, 235–238
Poly(methyl methacrylate)
Stress relaxation, 245–247
Polycarbonate
Ageing, 143–148
Viscosity
Aromatic polymers
Solubility, 85–88
Hydrophobic
Polyelectrolyte, 456–458
Molecular weight
Glass transition temperature, 71–73
Poly(oxyethylene), 346–347
Volume changes
Gels
Phase transition, 558–560
Vulcanization
Polychloroprene
Kinetics, 376–379

X-ray scattering
Liquid crystal polymers
Copolymers, 268–271
X.p.s.
Doping
Polypyrrole, 412–414
Polypropylene
Adhesion, 506–508

Yield
Synthesis
Crown ether, 103–105